



Soybean Summary 2022

Ranked by Yield

Variety	Supplier	Maturity	SCN Resistance	Trait	Fertile	Crookston	Bejou	Average			
					Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Maturity Date	IDC	IDC Rank
S05XF73	DynaGro	0.5	R	XtendFlex	69.9	66.9	63.8	66.9	28-Sep	7.3	6
RX0721	REA	0.7	R	Xtend	73.3	63.8	59.6	65.6	1-Oct	5.9	63
70832	Integra	0.8	R	XtendFlex	72.4	61.2	62.6	65.4	1-Oct	5.8	65
LGS0988XF	LG	0.9	R	XtendFlex	75.0	59.2	60.1	64.8	3-Oct	5.7	70
NK05-W3XF	NK	0.5	R	XtendFlex	69.3	59.1	64.3	64.2	28-Sep	6.1	55
70493	Integra	0.4	R	XtendFlex	69.4	63.6	59.1	64.0	29-Sep	7.1	9
LGS0822E3	LG	0.8	R	Enlist	69.2	60.9	61.7	64.0	3-Oct	6.3	42
R0843XF	REA	0.8	R	XtendFlex	67.7	66.5	56.7	63.6	2-Oct	6.7	24
08EC02	Stine	0.8	S	Enlist	66.2	60.7	63.0	63.3	2-Oct	6.2	50
NK03-V5E3	NK	0.3	R	Enlist	66.6	57.3	65.0	63.0	29-Sep	6.2	48
S07XF23	DynaGro	0.7	R	XtendFlex	66.3	63.7	57.5	62.5	30-Sep	6.7	23
S04-Q7X	NK	0.4	R	Xtend	63.0	60.1	63.4	62.2	27-Sep	7.5	3
04EE06	Stine	0.4	S	Enlist	65.1	57.9	62.3	61.8	29-Sep	6.7	21
40831	Integra	0.8	R	Enlist	66.5	59.7	58.7	61.6	3-Oct	5.9	62
S09EN53	DynaGro	0.9	R	Enlist	66.4	54.2	64.1	61.6	7-Oct	5.6	74
R0422XF	REA	0.4	R	XtendFlex	70.0	58.6	55.4	61.3	29-Sep	7.2	8
XO 0731E	BASF	0.7	R	Enlist	66.0	61.9	56.1	61.3	4-Oct	5.8	67
NK08-M1XF	NK	0.8	R	XtendFlex	64.8	58.7	59.6	61.0	3-Oct	6.2	46
70212	Integra	0.2	S	XtendFlex	63.2	59.1	60.3	60.9	25-Sep	6.6	29
LGS0400RX	LG	0.4	R	Xtend	65.5	57.4	59.7	60.8	29-Sep	6.9	14
70622	Integra	0.6	R	XtendFlex	63.8	60.8	57.8	60.8	1-Oct	6.9	13
04GD62	Stine	0.4	R	LLGT27	62.4	60.5	59.4	60.8	2-Oct	6.5	34
NK06-D9E3	NK	0.6	R	Enlist	64.5	56.4	61.2	60.7	29-Sep	7.3	7
NK06-P2XF	NK	0.6	R	XtendFlex	61.5	60.2	60.3	60.7	28-Sep	6.8	20
LGS0595RX	LG	0.5	R	Xtend	58.4	55.9	67.2	60.5	29-Sep	6.9	11
S01XF43	DynaGro	0.1	S	XtendFlex	57.8	60.6	62.2	60.2	20-Sep	6.5	35
LGS0111RX	LG	0.1	S	Xtend	58.5	59.9	61.9	60.1	25-Sep	6.9	12
XO 0602E	BASF	0.6	R	Enlist	65.6	52.7	61.3	59.8	6-Oct	5.8	68
LGS0701XF	LG	0.7	R	XtendFlex	67.2	50.4	61.7	59.8	3-Oct	6.0	60
02EE03	Stine	0.2	S	Enlist	59.7	51.8	66.4	59.3	28-Sep	6.1	56
R0112XF	REA	0.1	S	XtendFlex	62.8	53.8	60.8	59.1	26-Sep	6.5	32
R0632XF	REA	0.6	R	XtendFlex	63.4	59.4	54.2	59.0	1-Oct	6.6	28
05EA23	Stine	0.5	R	Enlist	63.5	51.6	61.6	58.9	2-Oct	6.3	44
NK02-M4XF	NK	0.2	R	XtendFlex	57.5	58.7	59.8	58.7	21-Sep	6.8	19
09EA02	Stine	0.9	R	Enlist	65.7	56.5	53.6	58.6	6-Oct	6.6	31

Variety	Supplier	Maturity	SCN Resistance	Trait	Fertile	Crookston	Bejou	Average			
					Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Maturity Date	IDC	IDC Rank
LGS0355RX	LG	0.3	R	Xtend	59.7	56.3	59.6	58.6	25-Sep	7.4	5
03EB02	Stine	0.3	R	Enlist	59.3	55.3	61.0	58.6	30-Sep	6.7	22
RX0411	REA	0.4	R	Xtend	61.6	54.7	58.9	58.4	29-Sep	6.6	30
LGS0660XF	LG	0.6	R	XtendFlex	63.4	56.4	53.8	57.8	1-Oct	5.7	69
40511	Integra	0.5	S	Enlist	56.2	57.9	59.0	57.7	27-Sep	6.8	16
06EC23	Stine	0.6	R	Enlist	59.5	56.1	56.8	57.5	1-Oct	6.2	45
07FB62	Stine	0.7	R	XtendFlex	61.3	57.2	53.9	57.5	3-Oct	6.2	49
17MA210077-09-09	Stine	0.6	R	Enlist	63.2	55.1	54.0	57.4	1-Oct	5.6	76
S009XF33	DynaGro	0.09	S	XtendFlex	48.9	63.3	58.6	56.9	21-Sep	6.9	10
LGS0550E3	LG	0.5	R	Enlist	59.7	55.9	54.9	56.8	2-Oct	6.2	47
RX0228	REA	0.2	R	Xtend	59.7	51.9	58.2	56.6	24-Sep	7.6	2
01EE03	Stine	0.1	S	Enlist	56.8	54.1	58.9	56.6	26-Sep	6.4	38
NK04-G8E3	NK	0.4	S	Enlist	50.6	61.7	57.0	56.4	26-Sep	7.7	1
NK009-G7E3	NK	0.09	R	Enlist	54.1	57.9	57.0	56.3	23-Sep	6.3	43
02EE30	Stine	0.2	S	Enlist	60.6	47.1	60.0	55.9	28-Sep	6.3	41
XO 0311E	BASF	0.3	R	Enlist	54.0	51.3	59.2	54.8	30-Sep	6.5	36
RX00912	REA	0.09	R	Xtend	55.4	47.3	61.1	54.6	23-Sep	6.1	51
05EB23	Stine	0.5	R	Enlist	55.6	51.8	55.7	54.4	28-Sep	6.4	37
XO 0213E	BASF	0.2	S	Enlist	56.6	49.5	56.7	54.3	29-Sep	6.0	59
LGS0338E3	LG	0.3	R	Enlist	53.6	48.9	60.0	54.2	30-Sep	6.8	17
NK02-T4E3	NK	0.2	R	Enlist	55.8	47.4	59.0	54.1	28-Sep	5.1	78
XO 0993E	BASF	0.9	R	Enlist	62.2	38.6	54.5	51.8	5-Oct	5.2	77
XO 0593E	BASF	0.5	S	Enlist	61.2	46.4	46.8	51.5	3-Oct	5.8	66
40113N	Integra	0.1	R	Enlist	51.0	44.7	57.2	51.0	26-Sep	5.7	73
01EA63	Stine	0.1	S	Enlist	49.0	45.3	57.7	50.7	24-Sep	6.4	40
LGS00663RX	LG	0.06	R	Xtend	50.0	43.3	54.0	49.1	23-Sep	6.1	52
XO 0101E	BASF	0.1	S	Enlist	45.4	47.9	52.5	48.6	26-Sep	6.1	57
NK009-T1XF	NK	0.09	R	XtendFlex	43.1	42.7	56.2	47.3	20-Sep	6.5	33
LGS00838XF	LG	0.08	R	XtendFlex	48.9	36.8	52.6	46.1	24-Sep	5.9	64
70082N	Integra	0.08	R	XtendFlex	50.7	32.4	51.3	44.8	23-Sep	6.0	58
01EE02	Stine	0.1	R	Enlist	41.4	35.6	47.7	41.5	26-Sep	5.6	75
002EE06	Stine	0.02	S	Enlist	25.8	35.3	44.1	35.0	13-Sep	6.8	18
0008EE06	Stine	0.008	S	Enlist	23.4	35.1	38.5	32.3	12-Sep	6.9	15
LSD P=0.05					8.1	9.2	6.8	8.1			
CV					8.3	10.5	7.3	8.8			
Grand Mean					60.1	54.2	57.9	57.2	29-Sep		



Soybean Summary 2022

Ranked by IDC Score

Variety	Supplier	Maturity	SCN Resistance	Trait	Fertile	Crookston	Bejou	Average		
					Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Maturity Date	IDC
NK04-G8E3	NK	0.4	S	Enlist	50.6	61.7	57.0	56.4	26-Sep	7.7
RX0228	REA	0.2	R	Xtend	59.7	51.9	58.2	56.6	24-Sep	7.6
S04-Q7X	NK	0.4	R	Xtend	63.0	60.1	63.4	62.2	27-Sep	7.5
LGS0355RX	LG	0.3	R	Xtend	59.7	56.3	59.6	58.6	25-Sep	7.4
S05XF73	DynaGro	0.5	R	XtendFlex	69.9	66.9	63.8	66.9	28-Sep	7.3
NK06-D9E3	NK	0.6	R	Enlist	64.5	56.4	61.2	60.7	29-Sep	7.3
R0422XF	REA	0.4	R	XtendFlex	70.0	58.6	55.4	61.3	29-Sep	7.2
70493	Integra	0.4	R	XtendFlex	69.4	63.6	59.1	64.0	29-Sep	7.1
S009XF33	DynaGro	0.09	S	XtendFlex	48.9	63.3	58.6	56.9	21-Sep	6.9
LGS0595RX	LG	0.5	R	Xtend	58.4	55.9	67.2	60.5	29-Sep	6.9
LGS0111RX	LG	0.1	S	Xtend	58.5	59.9	61.9	60.1	25-Sep	6.9
70622	Integra	0.6	R	XtendFlex	63.8	60.8	57.8	60.8	1-Oct	6.9
LGS0400RX	LG	0.4	R	Xtend	65.5	57.4	59.7	60.8	29-Sep	6.9
0008EE06	Stine	0.008	S	Enlist	23.4	35.1	38.5	32.3	12-Sep	6.9
40511	Integra	0.5	S	Enlist	56.2	57.9	59.0	57.7	27-Sep	6.8
LGS0338E3	LG	0.3	R	Enlist	53.6	48.9	60.0	54.2	30-Sep	6.8
002EE06	Stine	0.02	S	Enlist	25.8	35.3	44.1	35.0	13-Sep	6.8
NK02-M4XF	NK	0.2	R	XtendFlex	57.5	58.7	59.8	58.7	21-Sep	6.8
NK06-P2XF	NK	0.6	R	XtendFlex	61.5	60.2	60.3	60.7	28-Sep	6.8
04EE06	Stine	0.4	S	Enlist	65.1	57.9	62.3	61.8	29-Sep	6.7
03EB02	Stine	0.3	R	Enlist	59.3	55.3	61.0	58.6	30-Sep	6.7
S07XF23	DynaGro	0.7	R	XtendFlex	66.3	63.7	57.5	62.5	30-Sep	6.7
R0843XF	REA	0.8	R	XtendFlex	67.7	66.5	56.7	63.6	2-Oct	6.7
R0632XF	REA	0.6	R	XtendFlex	63.4	59.4	54.2	59.0	1-Oct	6.6
70212	Integra	0.2	S	XtendFlex	63.2	59.1	60.3	60.9	25-Sep	6.6
RX0411	REA	0.4	R	Xtend	61.6	54.7	58.9	58.4	29-Sep	6.6
09EA02	Stine	0.9	R	Enlist	65.7	56.5	53.6	58.6	6-Oct	6.6
R0112XF	REA	0.1	S	XtendFlex	62.8	53.8	60.8	59.1	26-Sep	6.5
NK009-T1XF	NK	0.09	R	XtendFlex	43.1	42.7	56.2	47.3	20-Sep	6.5
04GD62	Stine	0.4	R	LLGT27	62.4	60.5	59.4	60.8	2-Oct	6.5
S01XF43	DynaGro	0.1	S	XtendFlex	57.8	60.6	62.2	60.2	20-Sep	6.5
XO 0311E	BASF	0.3	R	Enlist	54.0	51.3	59.2	54.8	30-Sep	6.5
05EB23	Stine	0.5	R	Enlist	55.6	51.8	55.7	54.4	28-Sep	6.4
01EE03	Stine	0.1	S	Enlist	56.8	54.1	58.9	56.6	26-Sep	6.4
01EA63	Stine	0.1	S	Enlist	49.0	45.3	57.7	50.7	24-Sep	6.4

Variety	Supplier	Maturity	SCN Resistance	Trait	Fertile	Crookston	Bejou	Average		
					Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Maturity Date	IDC
02EE30	Stine	0.2	S	Enlist	60.6	47.1	60.0	55.9	28-Sep	6.3
LGS0822E3	LG	0.8	R	Enlist	69.2	60.9	61.7	64.0	3-Oct	6.3
NK009-G7E3	NK	0.09	R	Enlist	54.1	57.9	57.0	56.3	23-Sep	6.3
05EA23	Stine	0.5	R	Enlist	63.5	51.6	61.6	58.9	2-Oct	6.3
06EC23	Stine	0.6	R	Enlist	59.5	56.1	56.8	57.5	1-Oct	6.2
NK08-M1XF	NK	0.8	R	XtendFlex	64.8	58.7	59.6	61.0	3-Oct	6.2
LGS0550E3	LG	0.5	R	Enlist	59.7	55.9	54.9	56.8	2-Oct	6.2
NK03-V5E3	NK	0.3	R	Enlist	66.6	57.3	65.0	63.0	29-Sep	6.2
07FB62	Stine	0.7	R	XtendFlex	61.3	57.2	53.9	57.5	3-Oct	6.2
08EC02	Stine	0.8	S	Enlist	66.2	60.7	63.0	63.3	2-Oct	6.2
RX00912	REA	0.09	R	Xtend	55.4	47.3	61.1	54.6	23-Sep	6.1
LGS00663RX	LG	0.06	R	Xtend	50.0	43.3	54.0	49.1	23-Sep	6.1
NK05-W3XF	NK	0.5	R	XtendFlex	69.3	59.1	64.3	64.2	28-Sep	6.1
02EE03	Stine	0.2	S	Enlist	59.7	51.8	66.4	59.3	28-Sep	6.1
XO 0101E	BASF	0.1	S	Enlist	45.4	47.9	52.5	48.6	26-Sep	6.1
70082N	Integra	0.08	R	XtendFlex	50.7	32.4	51.3	44.8	23-Sep	6.0
XO 0213E	BASF	0.2	S	Enlist	56.6	49.5	56.7	54.3	29-Sep	6.0
LGS0701XF	LG	0.7	R	XtendFlex	67.2	50.4	61.7	59.8	3-Oct	6.0
40831	Integra	0.8	R	Enlist	66.5	59.7	58.7	61.6	3-Oct	5.9
RX0721	REA	0.7	R	Xtend	73.3	63.8	59.6	65.6	1-Oct	5.9
LGS00838XF	LG	0.08	R	XtendFlex	48.9	36.8	52.6	46.1	24-Sep	5.9
70832	Integra	0.8	R	XtendFlex	72.4	61.2	62.6	65.4	1-Oct	5.8
XO 0593E	BASF	0.5	S	Enlist	61.2	46.4	46.8	51.5	3-Oct	5.8
XO 0731E	BASF	0.7	R	Enlist	66.0	61.9	56.1	61.3	4-Oct	5.8
XO 0602E	BASF	0.6	R	Enlist	65.6	52.7	61.3	59.8	6-Oct	5.8
LGS0660XF	LG	0.6	R	XtendFlex	63.4	56.4	53.8	57.8	1-Oct	5.7
LGS0988XF	LG	0.9	R	XtendFlex	75.0	59.2	60.1	64.8	3-Oct	5.7
40113N	Integra	0.1	R	Enlist	51.0	44.7	57.2	51.0	26-Sep	5.7
S09EN53	DynaGro	0.9	R	Enlist	66.4	54.2	64.1	61.6	7-Oct	5.6
01EE02	Stine	0.1	R	Enlist	41.4	35.6	47.7	41.5	26-Sep	5.6
17MA210077-09-09	Stine	0.6	R	Enlist	63.2	55.1	54.0	57.4	1-Oct	5.6
XO 0993E	BASF	0.9	R	Enlist	62.2	38.6	54.5	51.8	5-Oct	5.2
NK02-T4E3	NK	0.2	R	Enlist	55.8	47.4	59.0	54.1	28-Sep	5.1
LSD P=0.05					8.1	9.2	6.8	8.1		
CV					8.3	10.5	7.3	8.8		
Grand Mean					60.1	54.2	57.9	57.2	29-Sep	



Soybean Summary 2022

Early Maturity

Variety	Supplier	Maturity	SCN Resistance	Trait	Fertile	Crookston	Bejou	Average			
					Yield	Yield	Yield	Yield	Maturity Date	IDC	IDC Rank
70212	Integra	0.2	S	XtendFlex	63.2	59.1	60.3	60.9	25-Sep	6.6	9
S01XF43	DynaGro	0.1	S	XtendFlex	57.8	60.6	62.2	60.2	20-Sep	6.5	12
LGS0111RX	LG	0.1	S	Xtend	58.5	59.9	61.9	60.1	25-Sep	6.9	5
R0112XF	REA	0.1	S	XtendFlex	62.8	53.8	60.8	59.1	26-Sep	6.5	10
NK02-M4XF	NK	0.2	R	XtendFlex	57.5	58.7	59.8	58.7	21-Sep	6.8	8
LGS0355RX	LG	0.3	R	Xtend	59.7	56.3	59.6	58.6	25-Sep	7.4	3
S009XF33	DynaGro	0.09	S	XtendFlex	48.9	63.3	58.6	56.9	21-Sep	6.9	4
RX0228	REA	0.2	R	Xtend	59.7	51.9	58.2	56.6	24-Sep	7.6	2
01EE03	Stine	0.1	S	Enlist	56.8	54.1	58.9	56.6	26-Sep	6.4	13
NK04-G8E3	NK	0.4	S	Enlist	50.6	61.7	57.0	56.4	26-Sep	7.7	1
NK009-G7E3	NK	0.09	R	Enlist	54.1	57.9	57.0	56.3	23-Sep	6.3	15
RX00912	REA	0.09	R	Xtend	55.4	47.3	61.1	54.6	23-Sep	6.1	16
40113N	Integra	0.1	R	Enlist	51.0	44.7	57.2	51.0	26-Sep	5.7	21
01EA63	Stine	0.1	S	Enlist	49.0	45.3	57.7	50.7	24-Sep	6.4	14
LGS00663RX	LG	0.06	R	Xtend	50.0	43.3	54.0	49.1	23-Sep	6.1	17
XO 0101E	BASF	0.1	S	Enlist	45.4	47.9	52.5	48.6	26-Sep	6.1	18
NK009-T1XF	NK	0.09	R	XtendFlex	43.1	42.7	56.2	47.3	20-Sep	6.5	11
LGS00838XF	LG	0.08	R	XtendFlex	48.9	36.8	52.6	46.1	24-Sep	5.9	20
70082N	Integra	0.08	R	XtendFlex	50.7	32.4	51.3	44.8	23-Sep	6.0	19
01EE02	Stine	0.1	R	Enlist	41.4	35.6	47.7	41.5	26-Sep	5.6	22
002EE06	Stine	0.02	S	Enlist	25.8	35.3	44.1	35.0	13-Sep	6.8	7
0008EE06	Stine	0.008	S	Enlist	23.4	35.1	38.5	32.3	12-Sep	6.9	6



Soybean Summary 2022

Late Maturity

Variety	Supplier	Maturity	SCN Resistance	Trait	Fertile	Crookston	Bejou	Average			
					Yield	Yield	Yield	Yield	Maturity Date	IDC	IDC Rank
S05XF73	DynaGro	0.5	R	XtendFlex	69.9	66.9	63.8	66.9	28-Sep	7.3	2
RX0721	REA	0.7	R	Xtend	73.3	63.8	59.6	65.6	1-Oct	5.9	36
70832	Integra	0.8	R	XtendFlex	72.4	61.2	62.6	65.4	1-Oct	5.8	37
LGS0988XF	LG	0.9	R	XtendFlex	75.0	59.2	60.1	64.8	3-Oct	5.7	42
NK05-W3XF	NK	0.5	R	XtendFlex	69.3	59.1	64.3	64.2	28-Sep	6.1	31
70493	Integra	0.4	R	XtendFlex	69.4	63.6	59.1	64.0	29-Sep	7.1	5
LGS0822E3	LG	0.8	R	Enlist	69.2	60.9	61.7	64.0	3-Oct	6.3	23
R0843XF	REA	0.8	R	XtendFlex	67.7	66.5	56.7	63.6	2-Oct	6.7	15
08EC02	Stine	0.8	S	Enlist	66.2	60.7	63.0	63.3	2-Oct	6.2	30
NK03-V5E3	NK	0.3	R	Enlist	66.6	57.3	65.0	63.0	29-Sep	6.2	28
S07XF23	DynaGro	0.7	R	XtendFlex	66.3	63.7	57.5	62.5	30-Sep	6.7	14
S04-Q7X	NK	0.4	R	Xtend	63.0	60.1	63.4	62.2	27-Sep	7.5	1
04EE06	Stine	0.4	S	Enlist	65.1	57.9	62.3	61.8	29-Sep	6.7	12
40831	Integra	0.8	R	Enlist	66.5	59.7	58.7	61.6	3-Oct	5.9	35
S09EN53	DynaGro	0.9	R	Enlist	66.4	54.2	64.1	61.6	7-Oct	5.6	43
R0422XF	REA	0.4	R	XtendFlex	70.0	58.6	55.4	61.3	29-Sep	7.2	4
XO 0731E	BASF	0.7	R	Enlist	66.0	61.9	56.1	61.3	4-Oct	5.8	39
NK08-M1XF	NK	0.8	R	XtendFlex	64.8	58.7	59.6	61.0	3-Oct	6.2	27
LGS0400RX	LG	0.4	R	Xtend	65.5	57.4	59.7	60.8	29-Sep	6.9	8
70622	Integra	0.6	R	XtendFlex	63.8	60.8	57.8	60.8	1-Oct	6.9	7
04GD62	Stine	0.4	R	LLGT27	62.4	60.5	59.4	60.8	2-Oct	6.5	19
NK06-D9E3	NK	0.6	R	Enlist	64.5	56.4	61.2	60.7	29-Sep	7.3	3
NK06-P2XF	NK	0.6	R	XtendFlex	61.5	60.2	60.3	60.7	28-Sep	6.8	11
LGS0595RX	LG	0.5	R	Xtend	58.4	55.9	67.2	60.5	29-Sep	6.9	6
XO 0602E	BASF	0.6	R	Enlist	65.6	52.7	61.3	59.8	6-Oct	5.8	40
LGS0701XF	LG	0.7	R	XtendFlex	67.2	50.4	61.7	59.8	3-Oct	6.0	34
02EE03	Stine	0.2	S	Enlist	59.7	51.8	66.4	59.3	28-Sep	6.1	32
R0632XF	REA	0.6	R	XtendFlex	63.4	59.4	54.2	59.0	1-Oct	6.6	16
05EA23	Stine	0.5	R	Enlist	63.5	51.6	61.6	58.9	2-Oct	6.3	24
09EA02	Stine	0.9	R	Enlist	65.7	56.5	53.6	58.6	6-Oct	6.6	18
03EB02	Stine	0.3	R	Enlist	59.3	55.3	61.0	58.6	30-Sep	6.7	13
RX0411	REA	0.4	R	Xtend	61.6	54.7	58.9	58.4	29-Sep	6.6	17
LGS0660XF	LG	0.6	R	XtendFlex	63.4	56.4	53.8	57.8	1-Oct	5.7	41
40511	Integra	0.5	S	Enlist	56.2	57.9	59.0	57.7	27-Sep	6.8	9
06EC23	Stine	0.6	R	Enlist	59.5	56.1	56.8	57.5	1-Oct	6.2	25
07FB62	Stine	0.7	R	XtendFlex	61.3	57.2	53.9	57.5	3-Oct	6.2	29
17MA210077-09-09	Stine	0.6	R	Enlist	63.2	55.1	54.0	57.4	1-Oct	5.6	44
LGS0550E3	LG	0.5	R	Enlist	59.7	55.9	54.9	56.8	2-Oct	6.2	26
02EE30	Stine	0.2	S	Enlist	60.6	47.1	60.0	55.9	28-Sep	6.3	22
XO 0311E	BASF	0.3	R	Enlist	54.0	51.3	59.2	54.8	30-Sep	6.5	20
05EB23	Stine	0.5	R	Enlist	55.6	51.8	55.7	54.4	28-Sep	6.4	21
XO 0213E	BASF	0.2	S	Enlist	56.6	49.5	56.7	54.3	29-Sep	6.0	33
LGS0338E3	LG	0.3	R	Enlist	53.6	48.9	60.0	54.2	30-Sep	6.8	10
NK02-T4E3	NK	0.2	R	Enlist	55.8	47.4	59.0	54.1	28-Sep	5.1	46
XO 0993E	BASF	0.9	R	Enlist	62.2	38.6	54.5	51.8	5-Oct	5.2	45
XO 0593E	BASF	0.5	S	Enlist	61.2	46.4	46.8	51.5	3-Oct	5.8	38



Multi-Year Summary

Ranked by Yield

Variety	Supplier	Maturity	Trait	2020			2021			2022			Three Year Average			Two Year Average		
				Yield	IDC	Maturity Date	Yield	IDC	Maturity Date	Yield	IDC	Maturity Date	Yield	IDC	Maturity Date	Yield	IDC	Maturity Date
RX0721	REA	0.7	Xtend				39.0	6	17-Sep	65.6	5.9	1-Oct				52.3	5.9	24-Sep
LGS0822E3	LG	0.8	Enlist				40.2	5	25-Sep	64.0	6.3	3-Oct				52.1	5.7	29-Sep
NK05-W3XF	NK	0.5	XtendFlex				39.2	4.5	19-Sep	64.2	6.1	28-Sep				51.7	5.3	23-Sep
08EC02	STINE	0.8	Enlist				40.0	5.5	24-Sep	63.3	6.2	2-Oct				51.6	5.8	28-Sep
40831	Integra	0.8	Enlist	47.1	5.7	25-Sep	38.9	4.5	26-Sep	61.6	5.9	3-Oct	49.2	5.4	28-Sep	50.2	5.2	29-Sep
LGS0400RX	LG	0.4	Xtend	52.5	5.8	19-Sep	39.5	6.5	17-Sep	60.8	6.9	29-Sep	51.0	6.4	21-Sep	50.2	6.7	23-Sep
XO 0731E	BASF	0.7	Enlist				37.7	5.5	29-Sep	61.3	5.8	4-Oct				49.5	5.6	1-Oct
04EE06	STINE	0.4	Enlist				37.2	5.5	19-Sep	61.8	6.7	29-Sep				49.5	6.1	24-Sep
09EA02	STINE	0.9	Enlist	46.8	5.0	23-Sep	39.2	7.0	24-Sep	58.6	6.6	6-Oct	48.2	6.2	27-Sep	48.9	6.8	30-Sep
RX0411	REA	0.4	Xtend	56.1	5.2	19-Sep	39.0	6.0	17-Sep	58.4	6.6	29-Sep	51.2	5.9	21-Sep	48.7	6.3	23-Sep
06EC23	STINE	0.6	Enlist	51.9	6.6	20-Sep	39.7	5.0	21-Sep	57.5	6.2	1-Oct	49.7	5.9	24-Sep	48.6	5.6	26-Sep
LGS0595RX	LG	0.5	Xtend	55.1	6.7	17-Sep	36.3	7.0	17-Sep	60.5	6.9	29-Sep	50.6	6.9	21-Sep	48.4	7.0	23-Sep
LGS0355RX	LG	0.3	Xtend	54.5	7.0	16-Sep	38.1	7.0	16-Sep	58.6	7.4	25-Sep	50.4	7.1	19-Sep	48.3	7.2	20-Sep
04GD62	STINE	0.4	LLGT27				35.5	5	20-Sep	60.8	6.5	2-Oct				48.1	5.8	26-Sep
R0632XF	REA	0.6	XtendFlex				37.2	5.5	22-Sep	59.0	6.6	1-Oct				48.1	6.0	26-Sep
XO 0602E	BASF	0.6	Enlist				36.1	4.5	26-Sep	59.8	5.8	6-Oct				48.0	5.1	1-Oct
70212	Integra	0.2	XtendFlex				34.1	4	12-Sep	60.9	6.6	25-Sep				47.5	5.3	18-Sep
LGS0111RX	LG	0.1	Xtend	51.0	6.3	18-Sep	34.9	5.5	12-Sep	60.1	6.9	25-Sep	48.7	6.2	18-Sep	47.5	6.2	18-Sep
R0112XF	REA	0.1	XtendFlex				33.7	5	13-Sep	59.1	6.5	26-Sep				46.4	5.8	19-Sep
05EA23	STINE	0.5	Enlist	54.6	6.4	19-Sep	33.7	5.5	22-Sep	58.9	6.3	2-Oct	49.1	6.1	24-Sep	46.3	5.9	27-Sep
S04-Q7X	NK	0.4	Xtend				30.4	7.5	15-Sep	62.2	7.5	27-Sep				46.3	7.5	21-Sep
07FB62	STINE	0.7	XtendFlex				34.4	6.5	19-Sep	57.5	6.2	3-Oct				45.9	6.3	26-Sep
RX0228	REA	0.2	Xtend	50.5	6.9	18-Sep	35.2	5.0	16-Sep	56.6	7.6	24-Sep	47.4	6.5	19-Sep	45.9	6.3	20-Sep
03EB02	STINE	0.3	Enlist	48.4	5.5	17-Sep	32.9	5.5	12-Sep	58.6	6.7	30-Sep	46.6	5.9	19-Sep	45.7	6.1	21-Sep
40511	Integra	0.5	Enlist	54.4	7.4	18-Sep	33.4	7.5	15-Sep	57.7	6.8	27-Sep	48.5	7.2	20-Sep	45.5	7.2	21-Sep
NK04-G8E3	NK	0.4	Enlist				33.6	5.5	16-Sep	56.4	7.7	26-Sep				45.0	6.6	21-Sep
05EB23	STINE	0.5	Enlist	54.2	6.5	17-Sep	34.8	5.0	15-Sep	54.4	6.4	28-Sep	47.8	6.0	20-Sep	44.6	5.7	21-Sep
02EE30	STINE	0.2	Enlist				32.4	5.5	17-Sep	55.9	6.3	28-Sep				44.2	5.9	22-Sep
NK02-M4XF	NK	0.2	XtendFlex				29.6	6.5	11-Sep	58.7	6.8	21-Sep				44.1	6.6	16-Sep
01EE03	STINE	0.1	Enlist				29.6	5	16-Sep	56.6	6.4	26-Sep				43.1	5.7	21-Sep
RX00912	REA	0.09	Xtend	48.5	7.6	15-Sep	30.3	8.0	8-Sep	54.6	6.1	23-Sep	44.5	7.2	15-Sep	42.5	7.1	15-Sep
XO 0311E	BASF	0.3	Enlist				28.7	5.5	12-Sep	54.8	6.5	30-Sep				41.8	6.0	21-Sep
01EA63	STINE	0.1	Enlist	48.4	6.1	14-Sep	31.9	6.0	9-Sep	50.7	6.4	24-Sep	43.7	6.2	15-Sep	41.3	6.2	16-Sep
LGS00663RX	LG	0.06	Xtend	51.3	6.6	11-Sep	30.5	5.0	6-Sep	49.1	6.1	23-Sep	43.6	5.9	13-Sep	39.8	5.6	14-Sep
XO 0101E	BASF	0.1	Enlist				30.6	6	11-Sep	48.6	6.1	26-Sep				39.6	6.0	18-Sep
LGS00838XF	LG	0.08	XtendFlex				28.8	6.5	11-Sep	46.1	5.9	24-Sep				37.4	6.2	17-Sep
002EE06	STINE	0.02	Enlist				17.6	6.5	31-Aug	35.0	6.8	13-Sep				26.3	6.6	6-Sep
0008EE06	STINE	0.008	Enlist				18.3	7	27-Aug	32.3	6.9	12-Sep				25.3	6.9	4-Sep

IDC scores: 1=worst; 10=best

