



# Soybean Summary 2021

## Early Maturity - Ranked by Yield

Variety	Supplier	RM	Trait	IDC	SCN	Phytophthora		Plant Height (inches)	Bejou	Fisher	Crookston	Shelly	Average		
						Gene	Field Tolerance*		Yield (bu/A)	Maturity Date					
40300N	Integra	0.3	E3	5.5	R	-	6	26.3	34.9	47.7	34.8	23.5	35.2	13-Sep	
LGS0111RX	LG	0.1	Xtend	5.5	S	1c	8	31.3	32.4	41.7	33.9	31.6	34.9	12-Sep	
05EB23	Stine	0.5	E3	5.0	R	3a	VG	29.0	32.2	47.8	33.3	25.9	34.8	15-Sep	
70212	Integra	0.2	XFlex	4.0	S	1c	NR	33.7	29.7	42.4	32.2	32.3	34.1	12-Sep	
03GA03	Stine	0.3	LLGT27	5.0	S	1c	VG	27.0	30.1	46.2	32.6	26.6	33.9	16-Sep	
R0112XF	REA	0.1	XFlex	5.0	S	1c	4	32.7	39.9	38.1	28.8	28.2	33.7	13-Sep	
S03XT29	Dyna-Gro	0.3	Xtend	7.0	R	1c	7	27.3	39.3	28.2	36.7	30.2	33.6	14-Sep	
40511	Integra	0.5	E3	7.5	S	-	6	31.7	29.8	37.7	37.1	28.9	33.4	15-Sep	
S05-E3	Syngenta	0.5	E3	5.0	R	3a	7	29.0	29.5	39.6	34.0	29.3	33.1	15-Sep	
S009XT68	Dyna-Gro	0.09	Xtend	6.5	S	1k	7	30.3	35.0	42.9	30.9	23.1	33.0	9-Sep	
S04XT91	Dyna-Gro	0.4	Xtend	7.0	R	-	7	24.0	34.9	46.5	26.6	23.6	32.9	14-Sep	
03EB02	Stine	0.3	E3	5.5	R	-	6	26.3	27.9	40.1	34.8	28.8	32.9	12-Sep	
02EE30	Stine	0.2	E3	5.5	S	1a3a	VG	24.7	39.3	34.2	31.6	24.6	32.4	17-Sep	
Apex 300	RobSeeCo	0.3	E3	5.0	R	-	6	25.0	40.1	36.3	30.0	22.7	32.3	11-Sep	
01EA63	Stine	0.1	E3	6.0	S	3a	VG	26.3	34.4	43.4	29.1	20.7	31.9	9-Sep	
X0 0101E	BASF	0.1	E3	6.0	S	3a	8	23.3	31.4	40.6	27.9	22.2	30.6	11-Sep	
LGS00663RX	LG	0.06	Xtend	5.0	R	1c	8	24.3	33.2	37.7	26.8	24.2	30.5	6-Sep	
S04-Q7X	Syngenta	0.4	Xtend	7.5	R	1c	6	27.3	35.2	28.2	33.6	24.4	30.4	15-Sep	
RX0228	REA	0.2	Xtend	8.0	R	1c	4	27.0	36.8	38.4	26.8	19.4	30.3	8-Sep	
NK02-M4XF	Syngenta	0.2	XFlex	6.5	R	1c	7	26.3	33.3	36.6	27.0	21.6	29.6	11-Sep	
01EE03	Stine	0.1	E3	5.0	S	1a3a	VG	26.7	37.2	27.5	29.1	24.6	29.6	16-Sep	
40201N	Integra	0.2	E3	4.5	R	1c	6	20.0	27.9	43.3	24.5	21.5	29.3	18-Sep	
LGS00838XF	LG	0.08	XFlex	6.5	R	1c	7	22.7	33.7	34.3	23.7	23.3	28.8	11-Sep	
X0 0311E	BASF	0.3	E3	5.5	R	-	6	25.0	27.8	33.5	29.6	23.8	28.7	12-Sep	
NK009-T1XF	Syngenta	0.09	XFlex	5.0	R	1c	7	23.7	34.4	38.4	22.4	16.6	27.9	10-Sep	
S008-E3	Syngenta	0.08	E3	6.0	R	1a	6	23.3	36.7	34.9	18.5	18.9	27.2	4-Sep	
RX00912	REA	0.09	Xtend	4.5	R	1c	5	22.7	25.3	32.3	29.3	21.8	27.2	8-Sep	
003EB62	Stine	0.03	E3	6.0	R	1a	6	25.7	36.3	34.0	22.7	14.6	26.9	4-Sep	
RX00810	REA	0.08	Xtend	6.0	R	1k	4	19.7	33.2	31.7	24.5	15.9	26.3	2-Sep	
001EE00	Stine	0.01	E3	6.5	S	-	VG	17.7	17.0	46.3	14.6	8.5	21.6	27-Aug	
0007EE00	Stine	0.007	E3	5.5	S	-	VG	20.3	21.5	42.2	13.3	7.3	21.1	25-Aug	
0008EE06	Stine	0.008	E3	7.0	S	-	VG	21.0	18.4	34.3	12.5	8.1	18.3	27-Aug	
002EE06	Stine	0.02	E3	6.5	S	-	VG	23.3	18.9	23.5	19.4	8.6	17.6	31-Aug	
002EE00	Stine	0.02	E3	7.0	S	-	VG	21.0	22.7	17.9	14.5	8.1	15.8	31-Aug	
LSD P=.05									10.08	16.00	7.66	7.02	6.96		
STDEV									6.21	7.92	4.71	4.32	4.97		
CV									19.23	20.65	16.57	18.78	16.27		
Grand Mean									25.46	31.48	37.30	27.26	21.56	29.40	9-Sep

Numeric rating scale: 1 = poor; 10 = excellent  
 Cyst: R = resistant; S = susceptible  
 \*PRR field tolerance scores rated by company

IDC scores taken at Fisher, MN site  
 Height measurements taken at Crookston, MN site





# Soybean Summary 2021

## Late Maturity - Ranked by Yield

Variety	Supplier	RM	Trait	IDC	SCN	Phytophthora		Plant Height (inches)	Bejou Yield (bu/A)	Fisher Yield (bu/A)	Crookston Yield (bu/A)	Shelly Yield (bu/A)	Average		
						Gene	Field Tolerance*						Yield (bu/A)	Maturity Date	
LGS0618XF	LG	0.6	XFlex	6.0	R	1c	6	27.3	37.2	59.5	44.4	29.7	42.7	18-Sep	
08EC32	Stine	0.8	E3	5.5	R	1c3a	8	30.3	31.9	56.8	43.8	33.1	41.4	25-Sep	
06GC03	Stine	0.6	LLGT27	6.5	S	1k	7	31.7	33.7	50.7	41.8	39.1	41.3	24-Sep	
70622N	Integra	0.6	XFlex	5.0	R	1c	6	28.3	36.5	49.7	42.8	35.6	41.2	20-Sep	
LGS0939XF	LG	0.9	XFlex	5.5	R	-	6	30.0	36.7	49.2	44.3	34.1	41.1	18-Sep	
70832N	Integra	0.8	XFlex	7.0	R	1c	7	32.0	35.9	55.8	41.2	30.8	40.9	19-Sep	
LGS0822E3	LG	0.8	E3	5.0	R	3a1c	8	27.0	31.9	56.3	36.3	36.2	40.2	25-Sep	
08EC02	Stine	0.8	E3	5.5	S	-	VG	27.7	44.2	49.8	36.3	29.6	40.0	24-Sep	
06EC23	Stine	0.6	E3	5.0	R	3a	VG	29.0	37.4	45.3	46.1	30.1	39.7	21-Sep	
06GC30	Stine	0.6	LLGT27	4.5	S	1k3a	VG	28.7	34.6	49.6	42.8	31.5	39.7	23-Sep	
LGS0400RX	LG	0.4	Xtend	6.5	R	1c	8	30.0	41.7	47.9	37.1	31.3	39.5	17-Sep	
06EC06	Stine	0.6	E3	6.0	S	-	VG	29.3	27.4	54.5	44.5	31.7	39.5	21-Sep	
09EA02	Stine	0.9	E3	7.0	R	-	VG	28.7	38.5	45.2	38.5	34.6	39.2	24-Sep	
NK05-W3XF	Syngenta	0.5	XFlex	4.5	R	1c	7	30.3	36.2	52.2	40.4	27.9	39.2	19-Sep	
X0 0521E	BASF	0.5	E3	5.5	S	3a	7	29.3	35.5	56.5	41.5	23.2	39.2	22-Sep	
RX0721	REA	0.7	Xtend	6.0	R	1c	5	32.0	36.7	44.2	37.0	38.1	39.0	17-Sep	
40831N	Integra	0.8	E3	4.5	R	1c3a	8	30.0	34.4	48.9	36.0	36.2	38.9	26-Sep	
LGS0355RX	LG	0.3	Xtend	7.0	R	1c	8	28.7	36.0	48.8	36.8	30.6	38.1	16-Sep	
07EA36	Stine	0.7	E3	4.0	S	3a	VG	29.7	34.7	46.5	34.1	35.7	37.8	22-Sep	
X0 0731E	BASF	0.7	E3	5.5	R	1c3a	8	29.0	29.2	50.0	40.1	31.7	37.7	29-Sep	
07EC06	Stine	0.7	E3	5.0	S	-	VG	27.7	33.8	51.2	35.6	28.8	37.4	20-Sep	
R0632XF	REA	0.6	XFlex	5.5	R	1c	6	28.0	34.9	43.8	43.4	26.6	37.2	22-Sep	
04EE06	Stine	0.4	E3	5.5	S	1cH3a	VG	25.7	36.4	43.2	36.8	32.2	37.2	19-Sep	
LGS0701XF	LG	0.7	XFlex	4.5	R	3a	7	31.3	29.8	49.2	40.4	27.5	36.7	21-Sep	
LGS0595RX	LG	0.5	Xtend	7.0	R	-	7	27.7	37.8	43.4	36.2	27.9	36.3	17-Sep	
X0 0602E	BASF	0.6	E3	4.5	R	-	6	26.3	36.9	43.8	34.2	29.4	36.1	26-Sep	
04GD62	Stine	0.4	LLGT27	5.0	R	-	VG	28.7	43.4	35.0	36.3	27.3	35.5	20-Sep	
RX0411	REA	0.4	Xtend	5.0	R	1c	4	30.7	35.9	41.7	29.9	33.2	35.2	16-Sep	
40602N	Integra	0.6	E3	5.0	R	-	6	24.0	33.4	47.7	34.4	24.3	35.0	23-Sep	
Apex 600	RobSeeCo	0.6	E3	5.5	R	3a	7	26.7	33.2	38.4	43.2	24.4	34.8	22-Sep	
07FB62	Stine	0.7	XFlex	6.5	R	3a	VG	31.3	32.3	43.2	38.5	23.5	34.4	19-Sep	
05EA23	Stine	0.5	E3	5.5	R	3a	VG	23.7	43.6	39.7	29.3	22.1	33.7	22-Sep	
NK04-G8E3	Syngenta	0.4	E3	5.5	S	1c3a	7	29.7	28.6	44.8	34.5	26.5	33.6	16-Sep	
CZ 0419GTLL	BASF	0.4	LLGT27	5.0	R	1c	6	27.3	28.4	42.2	32.7	30.7	33.5	21-Sep	
03EA03	Stine	0.3	E3	5.0	S	3a	VG	29.3	24.6	41.4	32.4	30.5	32.2	19-Sep	
Apex 400	RobSeeCo	0.4	E3	4.5	S	3a	8	28.3	26.0	39.4	32.6	27.8	31.5	18-Sep	
LSD P=.05									9.57	12.50	10.53	8.83	5.71		
STDEV									5.85	6.11	6.44	5.41	4.06		
CV									16.88	12.56	16.17	17.46	10.55		
Grand Mean									28.76	34.71	47.38	38.24	30.37	37.67	20-Sep

Numeric rating scale: 1 = poor; 10 = excellent  
 Cyst: R = resistant; S = susceptible  
 \*PRR field tolerance scores rated by company

IDC scores taken at Fisher, MN site  
 Height measurements taken at Crookston, MN site





# Soybean Summary 2021

All Maturities - Ranked by Yield

Variety	Supplier	RM	Trait	IDC	SCN	Phytophthora		Plant Height (inches)	Bejou Yield (bu/A)	Fisher Yield (bu/A)	Crookston Yield (bu/A)	Shelly Yield (bu/A)	Average	
						Gene	Field Tolerance*						Yield (bu/A)	Maturity Date
LGS0618XF	LG	0.6	XFlex	6.0	R	1c	6	27.3	37.2	59.5	44.4	29.7	42.7	18-Sep
08EC32	Stine	0.8	E3	5.5	R	1c3a	8	30.3	31.9	56.8	43.8	33.1	41.4	25-Sep
06GC03	Stine	0.6	LLGT27	6.5	S	1k	7	31.7	33.7	50.7	41.8	39.1	41.3	24-Sep
70622N	Integra	0.6	XFlex	5.0	R	1c	6	28.3	36.5	49.7	42.8	35.6	41.2	20-Sep
LGS0939XF	LG	0.9	XFlex	5.5	R	-	6	30.0	36.7	49.2	44.3	34.1	41.1	18-Sep
70832N	Integra	0.8	XFlex	7.0	R	1c	7	32.0	35.9	55.8	41.2	30.8	40.9	19-Sep
LGS0822E3	LG	0.8	E3	5.0	R	3a1c	8	27.0	31.9	56.3	36.3	36.2	40.2	25-Sep
08EC02	Stine	0.8	E3	5.5	S	-	VG	27.7	44.2	49.8	36.3	29.6	40.0	24-Sep
06EC23	Stine	0.6	E3	5.0	R	3a	VG	29.0	37.4	45.3	46.1	30.1	39.7	21-Sep
06GC30	Stine	0.6	LLGT27	4.5	S	1k3a	VG	28.7	34.6	49.6	42.8	31.5	39.7	23-Sep
LGS0400RX	LG	0.4	Xtend	6.5	R	1c	8	30.0	41.7	47.9	37.1	31.3	39.5	17-Sep
06EC06	Stine	0.6	E3	6.0	S	-	VG	29.3	27.4	54.5	44.5	31.7	39.5	21-Sep
09EA02	Stine	0.9	E3	7.0	R	-	VG	28.7	38.5	45.2	38.5	34.6	39.2	24-Sep
NK05-W3XF	Syngenta	0.5	XFlex	4.5	R	1c	7	30.3	36.2	52.2	40.4	27.9	39.2	19-Sep
XO 0521E	BASF	0.5	E3	5.5	S	3a	7	29.3	35.5	56.5	41.5	23.2	39.2	22-Sep
RX0721	REA	0.7	Xtend	6.0	R	1c	5	32.0	36.7	44.2	37.0	38.1	39.0	17-Sep
40831N	Integra	0.8	E3	4.5	R	1c3a	8	30.0	34.4	48.9	36.0	36.2	38.9	26-Sep
LGS0355RX	LG	0.3	Xtend	7.0	R	1c	8	28.7	36.0	48.8	36.8	30.6	38.1	16-Sep
07EA36	Stine	0.7	E3	4.0	S	3a	VG	29.7	34.7	46.5	34.1	35.7	37.8	22-Sep
XO 0731E	BASF	0.7	E3	5.5	R	1c3a	8	29.0	29.2	50.0	40.1	31.7	37.7	29-Sep
07EC06	Stine	0.7	E3	5.0	S	-	VG	27.7	33.8	51.2	35.6	28.8	37.4	20-Sep
R0632XF	REA	0.6	XFlex	5.5	R	1c	6	28.0	34.9	43.8	43.4	26.6	37.2	22-Sep
04EE06	Stine	0.4	E3	5.5	S	1cH3a	VG	25.7	36.4	43.2	36.8	32.2	37.2	19-Sep
LGS0701XF	LG	0.7	XFlex	4.5	R	3a	7	31.3	29.8	49.2	40.4	27.5	36.7	21-Sep
LGS0595RX	LG	0.5	Xtend	7.0	R	-	7	27.7	37.8	43.4	36.2	27.9	36.3	17-Sep
XO 0602E	BASF	0.6	E3	4.5	R	-	6	26.3	36.9	43.8	34.2	29.4	36.1	26-Sep
04GD62	Stine	0.4	LLGT27	5.0	R	-	VG	28.7	43.4	35.0	36.3	27.3	35.5	20-Sep
40300N	Integra	0.3	E3	5.5	R	-	6	26.3	34.9	47.7	34.8	23.5	35.2	13-Sep
RX0411	REA	0.4	Xtend	5.0	R	1c	4	30.7	35.9	41.7	29.9	33.2	35.2	16-Sep
40602N	Integra	0.6	E3	5.0	R	-	6	24.0	33.4	47.7	34.4	24.3	35.0	23-Sep
LGS0111RX	LG	0.1	Xtend	5.5	S	1c	8	31.3	32.4	41.7	33.9	31.6	34.9	12-Sep
Apex 600	RobSeeCo	0.6	E3	5.5	R	3a	7	26.7	33.2	38.4	43.2	24.4	34.8	22-Sep
05EB23	Stine	0.5	E3	5.0	R	3a	VG	29.0	32.2	47.8	33.3	25.9	34.8	15-Sep
07FB62	Stine	0.7	XFlex	6.5	R	3a	VG	31.3	32.3	43.2	38.5	23.5	34.4	19-Sep
70212	Integra	0.2	XFlex	4.0	S	1c	NR	33.7	29.7	42.4	32.2	32.3	34.1	12-Sep
03GA03	Stine	0.3	LLGT27	5.0	S	1c	VG	27.0	30.1	46.2	32.6	26.6	33.9	16-Sep
R0112XF	REA	0.1	XFlex	5.0	S	1c	4	32.7	39.9	38.1	28.8	28.2	33.7	13-Sep
05EA23	Stine	0.5	E3	5.5	R	3a	VG	23.7	43.6	39.7	29.3	22.1	33.7	22-Sep
NK04-G8E3	Syngenta	0.4	E3	5.5	S	1c3a	7	29.7	28.6	44.8	34.5	26.5	33.6	16-Sep
S03XT29	Dyna-Gro	0.3	Xtend	7.0	R	1c	7	27.3	39.3	28.2	36.7	30.2	33.6	14-Sep
CZ 0419GTLL	BASF	0.4	LLGT27	5.0	R	1c	6	27.3	28.4	42.2	32.7	30.7	33.5	21-Sep
40511	Integra	0.5	E3	7.5	S	-	6	31.7	29.8	37.7	37.1	28.9	33.4	15-Sep
S05-E3	Syngenta	0.5	E3	5.0	R	3a	7	29.0	29.5	39.6	34.0	29.3	33.1	15-Sep
S009XT68	Dyna-Gro	0.09	Xtend	6.5	S	1k	7	30.3	35.0	42.9	30.9	23.1	33.0	9-Sep
S04XT91	Dyna-Gro	0.4	Xtend	7.0	R	-	7	24.0	34.9	46.5	26.6	23.6	32.9	14-Sep
03EB02	Stine	0.3	E3	5.5	R	-	6	26.3	27.9	40.1	34.8	28.8	32.9	12-Sep
02EE30	Stine	0.2	E3	5.5	S	1a3a	VG	24.7	39.3	34.2	31.6	24.6	32.4	17-Sep
Apex 300	RobSeeCo	0.3	E3	5.0	R	-	6	25.0	40.1	36.3	30.0	22.7	32.3	11-Sep
03EA03	Stine	0.3	E3	5.0	S	3a	VG	29.3	24.6	41.4	32.4	30.5	32.2	19-Sep
01EA63	Stine	0.1	E3	6.0	S	3a	VG	26.3	34.4	43.4	29.1	20.7	31.9	9-Sep
Apex 400	RobSeeCo	0.4	E3	4.5	S	3a	8	28.3	26.0	39.4	32.6	27.8	31.5	18-Sep
XO 0101E	BASF	0.1	E3	6.0	S	3a	8	23.3	31.4	40.6	27.9	22.2	30.6	11-Sep
LGS00663RX	LG	0.06	Xtend	5.0	R	1c	8	24.3	33.2	37.7	26.8	24.2	30.5	6-Sep
S04-Q7X	Syngenta	0.4	Xtend	7.5	R	1c	6	27.3	35.2	28.2	33.6	24.4	30.4	15-Sep
RX0228	REA	0.2	Xtend	8.0	R	1c	4	27.0	36.8	38.4	26.8	19.4	30.3	8-Sep
NK02-M4XF	Syngenta	0.2	XFlex	6.5	R	1c	7	26.3	33.3	36.6	27.0	21.6	29.6	11-Sep
01EE03	Stine	0.1	E3	5.0	S	1a3a	VG	26.7	37.2	27.5	29.1	24.6	29.6	16-Sep
40201N	Integra	0.2	E3	4.5	R	1c	6	20.0	27.9	43.3	24.5	21.5	29.3	18-Sep
LGS00838XF	LG	0.08	XFlex	6.5	R	1c	7	22.7	33.7	34.3	23.7	23.3	28.8	11-Sep
XO 0311E	BASF	0.3	E3	5.5	R	-	6	25.0	27.8	33.5	29.6	23.8	28.7	12-Sep
NK009-T1XF	Syngenta	0.09	XFlex	5.0	R	1c	7	23.7	34.4	38.4	22.4	16.6	27.9	10-Sep
S008-E3	Syngenta	0.08	E3	6.0	R	1a	6	23.3	36.7	34.9	18.5	18.9	27.2	4-Sep
RX00912	REA	0.09	Xtend	4.5	R	1c	5	22.7	25.3	32.3	29.3	21.8	27.2	8-Sep
003EB62	Stine	0.03	E3	6.0	R	1a	6	25.7	36.3	34.0	22.7	14.6	26.9	4-Sep
RX00810	REA	0.08	Xtend	6.0	R	1k	4	19.7	33.2	31.7	24.5	15.9	26.3	2-Sep
001EE00	Stine	0.01	E3	6.5	S	-	VG	17.7	17.0	46.3	14.6	8.5	21.6	27-Aug
0007EE00	Stine	0.007	E3	5.5	S	-	VG	20.3	21.5	42.2	13.3	7.3	21.1	25-Aug
0008EE06	Stine	0.008	E3	7.0	S	-	VG	21.0	18.4	34.3	12.5	8.1	18.3	27-Aug
002EE06	Stine	0.02	E3	6.5	S	-	VG	23.3	18.9	23.5	19.4	8.6	17.6	31-Aug
002EE00	Stine	0.02	E3	7.0	S	-	VG	21.0	22.7	17.9	14.5	8.1	15.8	31-Aug

Numeric rating scale: 1 = poor; 10 = excellent  
 Cyst: R = resistant; S = susceptible  
 \*PRR field tolerance scores rated by company

IDC scores taken at Fisher, MN site  
 Height measurements taken at Crookston, MN site





# Multi-Year Soybean Summary

## Two & Three Year Averages

Variety	Supplier	RM	Trait	2021 IDC	SCN	Phytophthora		Plant Height (inches)	2019	2020	2021	Two Year Average			Three Year Average		
						Gene	Field Tolerance*		Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	Yield (bu/A)	IDC	Maturity Date	Yield (bu/A)	IDC	Maturity Date
RX0721	REA	0.7	Xtend	6.0	R	1c	5	32.0	-	56.1	39.0	47.6	5.6	18-Sep	-	-	-
LGS0355RX	LG	0.3	Xtend	7.0	R	1c	8	28.7	51.3	54.5	38.1	46.3	7.0	16-Sep	48.0	7.0	19-Sep
LGS0400RX	LG	0.4	Xtend	6.5	R	1c	8	30.0	52.1	52.5	39.5	46.0	6.2	18-Sep	48.0	6.4	21-Sep
06EC23	Stine	0.6	E3	5.0	R	3a	VG	29.0	-	51.9	39.7	45.8	5.8	20-Sep	-	-	-
LGS0595RX	LG	0.5	Xtend	7.0	R	-	7	27.7	-	55.1	36.3	45.7	6.9	17-Sep	-	-	-
05EB23	Stine	0.5	E3	5.0	R	3a	VG	29.0	52.1	54.2	34.8	44.5	5.8	16-Sep	47.0	6.1	20-Sep
05EA23	Stine	0.5	E3	5.5	R	3a	VG	23.7	51.8	54.6	33.7	44.1	6.0	20-Sep	46.7	6.3	23-Sep
40511	Integra	0.5	E3	7.5	S	-	6	31.7	-	54.4	33.4	43.9	7.5	16-Sep	-	-	-
07EA36	Stine	0.7	E3	4.0	S	3a	VG	29.7	50.2	49.4	37.8	43.6	4.8	21-Sep	45.8	5.3	25-Sep
S03XT29	Dyna-Gro	0.3	Xtend	7.0	R	1c	7	27.3	52.9	53.0	33.6	43.3	7.2	15-Sep	46.5	6.9	19-Sep
09EA02	Stine	0.9	E3	7.0	R	-	VG	28.7	46.9	46.8	39.2	43.0	6.0	23-Sep	44.3	6.3	28-Sep
40831N	Integra	0.8	E3	4.5	R	1c3a	8	30.0	-	47.1	38.9	43.0	5.1	25-Sep	-	-	-
LGS0111RX	LG	0.1	Xtend	5.5	S	1c	8	31.3	49.4	51.0	34.9	42.9	5.9	15-Sep	45.1	6.2	18-Sep
03EA03	Stine	0.3	E3	5.0	S	3a	VG	29.3	-	53.6	32.2	42.9	5.7	18-Sep	-	-	-
RX0411	REA	0.4	Xtend	5.0	R	1c	4	30.7	-	50.5	35.2	42.8	6.0	17-Sep	-	-	-
40300N	Integra	0.3	E3	5.5	R	-	6	26.3	-	49.5	35.2	42.4	5.3	14-Sep	-	-	-
Apex 300	RobSeeCo	0.3	E3	5.0	R	-	6	25.0	-	52.3	32.3	42.3	5.4	13-Sep	-	-	-
S05-E3	Syngenta	0.5	E3	5.0	R	3a	7	29.0	45.2	51.1	33.1	42.1	6.0	17-Sep	43.1	6.2	19-Sep
S04-Q7X	Syngenta	0.4	Xtend	7.5	R	1c	6	27.3	-	53.1	30.4	41.7	7.1	16-Sep	-	-	-
S009XT68	Dyna-Gro	0.09	Xtend	6.5	S	1k	7	30.3	48.6	49.3	33.0	41.1	6.4	11-Sep	43.6	6.5	14-Sep
LGS00663RX	LG	0.06	Xtend	5.0	R	1c	8	24.3	41.2	51.3	30.5	40.9	5.8	8-Sep	41.0	6.2	12-Sep
CZ 0419GTLL	BASF	0.4	LLGT27	5.0	R	1c	6	27.3	46.3	48.0	33.5	40.7	4.8	21-Sep	42.6	5.5	23-Sep
03EB02	Stine	0.3	E3	5.5	R	-	6	26.3	44.1	48.4	32.9	40.6	5.5	14-Sep	41.8	5.9	17-Sep
01EA63	Stine	0.1	E3	6.0	S	3a	VG	26.3	41.5	48.4	31.9	40.1	6.1	11-Sep	40.6	6.4	15-Sep
RX0228	REA	0.2	Xtend	8.0	R	1c	4	27.0	49.5	48.5	30.3	39.4	7.8	11-Sep	42.8	7.7	15-Sep
S008-E3	Syngenta	0.08	E3	6.0	R	1a	6	23.3	-	49.4	27.2	38.3	6.4	8-Sep	-	-	-
003EB62	Stine	0.03	E3	6.0	R	1a	6	25.7	40.7	48.7	26.9	37.8	6.4	7-Sep	38.8	6.6	11-Sep
40201N	Integra	0.2	E3	4.5	R	1c	6	20.0	-	45.7	29.3	37.5	4.6	18-Sep	-	-	-
RX00810	REA	0.08	Xtend	6.0	R	1k	4	19.7	44.3	47.4	26.3	36.9	6.2	7-Sep	39.3	6.5	10-Sep
<b>Average</b>								<b>27.5</b>	<b>47.5</b>	<b>50.9</b>	<b>33.8</b>	<b>42.3</b>	<b>6.0</b>	<b>15-Sep</b>	<b>43.8</b>	<b>6.4</b>	<b>18-Sep</b>

Numeric rating scale: 1 = poor; 10 = excellent  
 SCN (cyst): R = resistant; S = susceptible  
 \*PRR field tolerance scores rated by company  
 Height measurements taken at Crookston, MN site 2021

